

DIN

valves

GLOBE VALVES, DIN STANDARD, PN10/16 FLANGED

CAST IRON BODY, BRONZE TRIM - STOP & SDNR TYPE



SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN15	755261	755261-SDNR	95	65	4 X 14	130
DN20	755262	755262-SDNR	105	75	4 X 14	150
DN25	755263	755263-SDNR	115	85	4 X 14	160
DN32	755264	755264-SDNR	140	100	4 X 18	180
DN40	755265	755265-SDNR	150	110	4 X 18	200
DN50	755266	755266-SDNR	165	125	4 X 18	230
DN65	755267	755267-SDNR	185	145	4 X 18	290
DN80	755268	755268-SDNR	200	160	8 X 18	310
DN100	755269	755269-SDNR	220	180	8 X 18	350
DN125	755270	755270-SDNR	250	210	8 X 18	400
DN150	755271	755271-SDNR	285	240	8 X 22	480
DN200	755273 - PN10	755272-SDNR - PN10	340	295	8 X 22	600
DN250	755274 - PN10	755274-SDNR - PN10	395	350	12 X 22	730

ANGLE VALVES, DIN STANDARD, PN10/16 FLANGED

CAST IRON BODY, BRONZE TRIM - STOP & SDNR TYPE



SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	CENTER TO FACE (L)
DN15	755276	755276-SDNR	95	65	4 X 14	90
DN20	755277	755277-SDNR	105	75	4 X 14	95
DN25	755278	755278-SDNR	115	85	4 X 14	100
DN32	755279	755279-SDNR	140	100	4 X 18	105
DN40	755280	755280-SDNR	150	110	4 X 18	115
DN50	755281	755281-SDNR	165	125	4 X 18	125
DN65	755282	755282-SDNR	185	145	4 X 18	145
DN80	755283	755283-SDNR	200	160	8 X 18	155
DN100	755284	755284-SDNR	220	180	8 X 18	175
DN125	755285	755285-SDNR	250	210	8 X 18	200
DN150	755286	755286-SDNR	285	240	8 X 22	225
DN200	755288 - PN10	755288-SDNR - PN10	340	295	8 X 22	275
DN250	755289 - PN10	755289-SDNR - PN10	395	350	12 X 22	325
DN300	755290 - PN10	755290-SDNR - PN10	445	400	12 X 22	375

GLOBE VALVES, DIN STANDARD, PN10/16 FLANGED

NODULAR CAST IRON BODY, BRONZE TRIM - WITH CLASS CERTIFICATE- STOP & SDNR TYPE

SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN15	755401	755401-SDNR	95	65	4 X 14	130
DN20	755402	755402-SDNR	105	75	4 X 14	150
DN25	755403	755403-SDNR	115	85	4 X 14	160
DN32	755404	755404-SDNR	140	100	4 X 18	180
DN40	755405	755405-SDNR	150	110	4 X 18	200
DN50	755406	755406-SDNR	165	125	4 X 18	230
DN65	755407	755407-SDNR	185	145	4 X 18	290
DN80	755408	755408-SDNR	200	160	8 X 18	310
DN100	755409	755409-SDNR	220	180	8 X 18	350
DN125	755410	755410-SDNR	250	210	8 X 18	400
DN150	755411	755411-SDNR	285	240	8 X 22	480
DN200	755412 - PN10	755412-SDNR - PN10	340	295	8 X 22	600
DN250	755413 - PN10	755413-SDNR - PN10	395	350	12 X 22	730
DN300	755414 - PN10	755414-SDNR - PN10	445	400	12 X 22	850



ANGLE VALVES, DIN STANDARD, PN10/16 FLANGED

NODULAR CAST IRON BODY, BRONZE TRIM - WITH CLASS CERTIFICATE- STOP & SDNR TYPE

SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	CENTER TO FACE (L)
DN15	755416	755416-SDNR	95	65	4 X 14	90
DN20	755417	755417-SDNR	105	75	4 X 14	95
DN25	755418	755418-SDNR	115	85	4 X 14	100
DN32	755419	755419-SDNR	140	100	4 X 18	105
DN40	755420	755420-SDNR	150	110	4 X 18	115
DN50	755421	755421-SDNR	165	125	4 X 18	125
DN65	755422	755422-SDNR	185	145	4 X 18	145
DN80	755423	755423-SDNR	200	160	8 X 18	155
DN100	755424	755424-SDNR	220	180	8 X 18	175
DN125	755425	755425-SDNR	250	210	8 X 18	200
DN150	755426	755426-SDNR	285	240	8 X 22	225
DN200	755428 - PN10	755428-SDNR - PN10	340	295	8 X 22	275
DN250	755429 - PN10	755429-SDNR - PN10	395	350	12 X 22	325
DN300	755430 - PN10	755430-SDNR - PN10	445	400	12 X 22	375



GLOBE VALVES, DIN STANDARD, PN25/40 FLANGED

CAST STEEL BODY, STAINLESS STEEL TRIM - WITH CLASS CERTIFICATE- STOP & SDNR TYPE



SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN15	755326	755326-SDNR	95	65	4 X 14	130
DN20	755327	755327-SDNR	105	75	4 X 14	150
DN25	755328	755328-SDNR	115	85	4 X 14	160
DN32	755329	755329-SDNR	140	100	4 X 18	180
DN40	755330	755330-SDNR	150	110	4 X 18	200
DN50	755331	755331-SDNR	165	125	4 X 18	230
DN65	755332	755332-SDNR	185	145	8 X 18	290
DN80	755333	755333-SDNR	200	160	8 X 18	310
DN100	755334	755334-SDNR	235	190	8 X 22	350
DN125	755335	755335-SDNR	270	220	8 X 26	400
DN150	755336	755336-SDNR	300	250	8 X 26	480

ANGLE VALVES, DIN STANDARD, PN25/40 FLANGED

CAST STEEL BODY, STAINLESS STEEL TRIM - WITH CLASS CERTIFICATE- STOP & SDNR TYPE



SIZE	CODE STOP	CODE SDNR	FLANGE OD	PCD	HOLES	CENTER TO FACE (L)
DN15	755341	755341-SDNR	95	65	4 X 14	90
DN20	755342	755342-SDNR	105	75	4 X 14	95
DN25	755343	755343-SDNR	115	85	4 X 14	100
DN32	755344	755344-SDNR	140	100	4 X 18	105
DN40	755345	755345-SDNR	150	110	4 X 18	115
DN50	755346	755346-SDNR	165	125	4 X 18	125
DN65	755347	755347-SDNR	185	145	8 X 18	145
DN80	755348	755348-SDNR	200	160	8 X 18	155
DN100	755349	755349-SDNR	235	190	8 X 22	175
DN125	755350	755350-SDNR	270	220	8 X 26	200
DN150	755351	755351-SDNR	300	250	8 X 26	225

GLOBE VALVES, DIN STANDARD, PN10/16 FLANGED - BELLOW SEALED TYPE (FOR THERMO OIL USE)

NODULAR CAST IRON BODY, STAINLESS STEEL TRIM

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN15	755378	95	65	4 X 14	130
DN20	755379	105	75	4 X 14	150
DN25	755380	115	85	4 X 14	160
DN32	755381	140	100	4 X 18	180
DN40	755382	150	110	4 X 18	200
DN50	755383	165	125	4 X 18	230
DN65	755384	185	145	4 X 18	290
DN80	755385	200	160	8 X 18	310
DN100	755386	220	180	8 X 18	350
DN125	755387	250	210	8 X 18	400
DN150	755388	285	240	8 X 22	480
DN200	755389 - PN10	340	295	8 X 22	600



GATE VALVES, DIN STANDARD, PN10/16 FLANGED

NODULAR CAST IRON BODY, BRONZE TRIM - WITH CLASS CERTIFICATE

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN40	755661	150	110	4 X 18	140
DN50	755662	165	125	4 X 18	150
DN65	755663	185	145	4 X 18	170
DN80	755664	200	160	8 X 18	180
DN100	755665	220	180	8 X 18	190
DN125	755666	250	210	8 X 18	200
DN150	755667	285	240	8 X 22	210
DN200	755668	340	295	8 X 22	230
DN250	755669	395	350	12 X 22	250
DN300	755670	445	400	12 X 22	270



STORM VALVES, DIN STANDARD, PN10/16 FLANGED- STRAIGHT TYPE

NODULAR CAST IRON BODY, BRONZE TRIM - WITH CLASS CERTIFICATE

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN50	754291	165	125	4 X 18	200
DN65	754292	185	145	4 X 18	240
DN80	754293	200	160	8 X 18	260
DN100	754294	220	180	8 X 18	300
DN125	754295	250	210	8 X 18	350
DN150	754296	285	240	8 X 22	400



GATE VALVES, DIN STANDARD, PN10/16 FLANGED

CAST IRON BODY, BRONZE TRIM



SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN40	755571	150	110	4 X 18	140
DN50	755572	165	125	4 X 18	150
DN65	755573	185	145	4 X 18	170
DN80	755574	200	160	8 X 18	180
DN100	755575	220	180	8 X 18	190
DN125	755576	250	210	8 X 18	200
DN150	755577	285	240	8 X 22	210
DN200	755578	340	295	8 X 22	230
DN250	755579	395	350	12 X 22	250
DN300	755580	445	400	12 X 22	270

STORM VALVES, DIN STANDARD, PN10/16 FLANGED - ANGLE TYPE

NODULAR CAST IRON BODY, BRONZE TRIM - WITH CLASS CERTIFICATE

SIZE	DN50	DN65	DN80	DN100	DN125	DN150
CODE	754277	754278	754279	754280	754281	754282
INLET FLANGE OD	165	185	200	220	250	285
INLET FLANGE PCD	125	145	160	180	210	240
INLET FLANGE HOLESXDIA	4x18	4x18	8x18	8x18	8x18	8x22
OUTLET FLANGE OD	200	220	250	285	315	340
OUTLET FLANGE PCD	160	180	210	240	270	295
OUTLET FLANGE HOLESXDIA	8x18	8x18	8x18	8x22	8x22	8x22
FACE OUTLET TO INLET CENTER	180	200	215	250	290	330
FACE INLET TO CENTER OUTLET	90	100	108	130	152	176



SWING CHECK VALVES, DIN STANDARD, PN10/16 FLANGED

CAST IRON BODY, BRONZE TRIM

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN40	755901	150	110	4 X 18	180
DN50	755902	165	125	4 X 18	200
DN65	755903	185	145	4 X 18	240
DN80	755904	200	160	8 X 18	260
DN100	755905	220	180	8 X 18	300
DN125	755906	250	210	8 X 18	350
DN150	755907	285	240	8 X 22	400



MUD BOXES, DIN STANDARD, PN10/16 FLANGED

CAST IRON BODY, BRONZE DRAIN PLUG - WITH STAINLESS STEEL BASKET

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN40	872065	150	110	4 X 18	200
DN50	872066	165	125	4 X 18	230
DN65	872067	185	145	4 X 18	290
DN80	872068	200	160	8 X 18	310
DN100	872069	220	180	8 X 18	350
DN125	872070	250	210	8 X 18	400
DN150	872071	285	240	8 X 22	480



HOSE VALVES, PN16 FLANGED - STRAIGHT TYPE

BRONZE BODY, BRONZE TRIM - WITH STORZ COUPLING

SIZE	CODE STOP	FLANGE OD	PCD	HOLES
DN40	756051	150	110	4 X 18
DN50	756052	165	125	4 X 18
DN65	756053	185	145	4 X 18



HOSE VALVES, PN16 FLANGED - ANGLE TYPE

BRONZE BODY, BRONZE TRIM - WITH STORZ COUPLING

SIZE	CODE STOP	FLANGE OD	PCD	HOLES
DN40	756055	150	110	4 X 18
DN50	756056	165	125	4 X 18
DN65	756057	185	145	4 X 18



BUTTERFLY VALVES - CONCENTRIC LUG TYPE - PN10/16

LEVER OPERATED - WITH CLASS CERTIFICATE



SIZE	CODE STOP	BODY	DISC	SEAT	PCD	HOLES	L
DN50	754431	GGG 40.3	ALU-BRONZE	NBR	125	4 X M16	43
DN65	754432	GGG 40.3	ALU-BRONZE	NBR	145	4 X M16	46
DN80	754433	GGG 40.3	ALU-BRONZE	NBR	160	8 X M16	46
DN100	754434	GGG 40.3	ALU-BRONZE	NBR	180	8 X M16	52
DN125	754435	GGG 40.3	ALU-BRONZE	NBR	210	8 X M16	56
DN150	754436	GGG 40.3	ALU-BRONZE	NBR	240	8 X M20	56

BUTTERFLY VALVES - CONCENTRIC LUG TYPE - PN10

WORM GEAR OPERATED - WITH CLASS CERTIFICATE



SIZE	CODE STOP	BODY	DISC	SEAT	PCD	HOLES	L
DN200	754437	GGG 40.3	ALU-BRONZE	NBR	295	8 X M20	60
DN250	754438	GGG 40.3	ALU-BRONZE	NBR	350	12 X M20	68
DN300	754439	GGG 40.3	ALU-BRONZE	NBR	400	12 X M20	78
DN350	754440	GGG 40.3	ALU-BRONZE	NBR	460	16 X M20	78

BUTTERFLY VALVES - CONCENTRIC DOUBLE FLANGED TYPE - PN10

WORM GEAR OPERATED - WITH CLASS CERTIFICATE



SIZE	CODE STOP	BODY	DISC	SEAT	PCD	HOLES	L
DN50	754581	GGG 40.3	ALU-BRONZE	NBR	125	4 X 18	108
DN65	754582	GGG 40.3	ALU-BRONZE	NBR	145	4 X 18	112
DN80	754583	GGG 40.3	ALU-BRONZE	NBR	160	8 X 18	114
DN100	754584	GGG 40.3	ALU-BRONZE	NBR	180	8 X 18	127
DN125	754585	GGG 40.3	ALU-BRONZE	NBR	210	8 X 18	140
DN150	754586	GGG 40.3	ALU-BRONZE	NBR	240	8 X 22	140
DN200	754587	GGG 40.3	ALU-BRONZE	NBR	295	8 X 22	152
DN250	754588	GGG 40.3	ALU-BRONZE	NBR	350	12 X 22	165
DN300	754589	GGG 40.3	ALU-BRONZE	NBR	400	12 X 22	178
DN350	754590	GGG 40.3	ALU-BRONZE	NBR	460	16 X 22	190
DN400	754591	GGG 40.3	ALU-BRONZE	NBR	515	16 X 26	216
DN450	754592	GGG 40.3	ALU-BRONZE	NBR	565	20 X 26	222
DN500	754593	GGG 40.4	ALU-BRONZE	NBR	620	20 X 26	229
DN600	754594	GGG 40.5	ALU-BRONZE	NBR	725	20 X 30	267

QUICK CLOSING VALVES, DIN STANDARD, PN10/16 FLANGED - STRAIGHT TYPE

NODULAR CAST IRON BODY, STAINLESS STEEL TRIM - WITH CLASS CERTIFICATE

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	FACE TO FACE (L)
DN15	874621	95	65	4 X 14	130
DN20	874622	105	75	4 X 14	150
DN25	874623	115	85	4 X 14	160
DN32	874624	140	100	4 X 18	180
DN40	874625	150	110	4 X 18	200
DN50	874626	165	125	4 X 18	230
DN65	874627	185	145	4 X 18	290
DN80	874628	200	160	8 X 18	310
DN100	874629	220	180	8 X 18	350
DN125	874630	250	210	8 X 18	400
DN150	874649	285	240	8 X 22	480



QUICK CLOSING VALVES, DIN STANDARD, PN10/16 FLANGED - ANGLE TYPE

NODULAR CAST IRON BODY, STAINLESS STEEL TRIM - WITH CLASS CERTIFICATE

SIZE	CODE STOP	FLANGE OD	PCD	HOLES	CENTER TO FACE (L)
DN15	874631	95	65	4 X 14	90
DN20	874632	105	75	4 X 14	95
DN25	874633	115	85	4 X 14	100
DN32	874634	140	100	4 X 18	105
DN40	874635	150	110	4 X 18	115
DN50	874636	165	125	4 X 18	125
DN65	874637	185	145	4 X 18	145
DN80	874638	200	160	8 X 18	155
DN100	874639	220	180	8 X 18	175
DN125	874640	250	210	8 X 18	200
DN150	874651	285	240	8 X 22	225



AIR VENT HEAD, PN10/16 FLANGED - BALL TYPE

CAST IRON BODY, SUITABLE FOR BALLAST TANKS AND OIL TANKS

SIZE	CODE STOP	FLANGE OD	PCD	HOLES
DN50	872320	165	125	4 X 18
DN65	872321	185	145	4 X 18
DN80	872322	200	160	8 X 18
DN100	872323	220	180	8 X 18
DN125	872324	250	210	8 X 18
DN150	872325	285	240	8 X 22
DN200	872326	340	295	8 X 22
DN250	872327	395	350	12 X 22

